

Cyanboard High Viscosity Cyanoacrylate
Replaces: 20-Feb-2022

Review date 05-Dec-2022
Revision Number 3

SECTION 1: Identification of the substance or mixture and of the company or undertaking

1.1. Product identifier

Product Name Cyanboard High Viscosity Cyanoacrylate

Other means of identification

Pure substance/mixture Mix

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use This product is a cyanoacrylate-based adhesive

Uses advised against None known

1.3. Data of the supplier of the safety data sheet

Company name

Ceibo Azahar SL

C/ Alfred Giner Sorolla

2B, 3º6

12006, Castellón de la Plana

Castellón, Spain

Tel: +34 610 34 39 86

Email address comercial@azahargroup.com

1.4. Emergency telephone

Spain 112

Portugal National Institute of Toxicology: 800 250 250

Europe 112

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin corrosion or irritation	Category 2 - (H315)
Serious eye damage or eye irritation	Category 2 - (H319)
Specific target organ toxicity (single exposure)	Category 3 - (H335)
Category 3 Respiratory tract irritation	

2.2. Label elements

Contains ethyl 2-cyanoacrylate



Spain - EN

SAFETY DATA SHEET

Cyanboard High Viscosity Cyanoacrilate
Replaces the one from: 20-Feb-2022

Review date 05-Dec-2022
Revision Number 3

Hazard statements

H315 - Causes skin irritation
H319 - Causes serious eye irritation
H335 - May cause respiratory irritation

EU-specific hazard statements

EUH202 - Cyanoacrylate. Danger. Adheres to skin and eyes within seconds. Keep out of reach of children.

Precautionary statements - EU (§28, 1272/2008)

P261 - Avoid breathing vapours
P264 - Wash face, hands and exposed skin thoroughly after handling.
P280 - Wear protective gloves and eye protection/face protection
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several hours. minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.
P501 - Dispose of contents/container to a licensed waste disposal facility

2.3. Other hazards

Polymerizes with release of heat. Harmful to aquatic organisms. Adheres to skin and eyes in a few minutes. seconds. Adheres to skin and eyes in just a few seconds.

PBT & vPvB

This mixture does not contain any substances considered persistent, bioaccumulative and toxic (PBT). This mixture does not contain no substances considered very persistent and very bioaccumulative (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name EC No. (No. of Index of the EU).	CAS No.	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Limit of concentration specific (LCE)	M Factor	M Factor (long term)	Number of record REACH
2-Ethyl cyanoacrylate (607-236-00- 7085-85-0 80- 9) 230-391-5	100 %	Skin irritation 2 (H315) STOT SE 3 :: C>=10% Eye Irrit. 2 (H319) STOT SE 3 (H335)	-	-	-	01-2119527766-29-XXXX
Hydroquinone 0.01 - <0.1 %	(604-005-00- 123-31-9 4) 204-617-8	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Muta. 2 (H341) Carc. 2 (H351) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	-	10	1	01-2119524016-51-XXXX

Full text of H and EUH phrases: see section 16

Acute toxicity estimation

If LD50/LC50 data are not available or do not correspond to the classification category, then the value of appropriate conversion from CLP Annex I, Table 3.1.2, to calculate the acute toxicity estimate (ATEmix) for classification a mixture based on its components

SAFETY DATA SHEET

Cyanboard High Viscosity Cyanoacrylate
Replaces the one from: 20-Feb-2022

Review date 05-Dec-2022
Revision Number 3

Chemical name EC	No. (No. of Index of the EU)	CAS No.	Oral LD50 mg/kg	LD50 cutaneous mg/kg	LC50 by inhalation - 4 hours - dust/fog - mg/l	LC50 by inhalation - 4 hours - steam - mg/l	LC50 by inhalation - 4 hours - gas - mg/l
2-Ethyl cyanoacrylate (607-236-00-9) 230-391-5		7085-85-0	-	-	-	-	-
Hydroquinone	(604-005-00-4) 204-617-8	123-31-9	390	-	-	-	-

This product does not contain substances of very high concern at a concentration greater than 0.1%.
(Regulation (EC) No 1907/2006 (REACH), Article 59)

SECTION 4: First aid

4.1. Description of first aid

General Council	Show this safety data sheet to the doctor on duty. If irritation or discomfort persists, eyes and/or skin remain stuck together: Consult a doctor.
Inhalation	Transport the victim to fresh air. IN CASE OF apparent or suspected exposure: Consult a doctor. Consult a doctor immediately if symptoms occur.
Eye contact	If the eyelids are stuck closed or there is skin stuck together or stuck to clothing, Remove them by covering the affected area with a moist pad with warm water. Do not forcing the eyes to open or separating the attached skin. IN CASE OF EYE CONTACT: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists or eyes and/or skin remain stuck together: Consult a doctor. rub the affected area. Consult a doctor if irritation develops and persists.
Skin contact	Polymerizes with heat release. If the eyelids are glued shut or there is skin stuck together or stuck to clothing, remove them by covering the affected area with a moist pad with warm water. Do not force the eyes open or separate from the attached skin. If irritation persists or eyes and/or skin remain attached: Consult to a doctor. Remove immediately by washing with soap and plenty of water for at least 15 minutes. least 15 minutes. Allow the acetone or warm water to penetrate the joint and try to Gently move the glued areas without pulling the skin of the glued area to separate it. Do not remove clothing stuck to the skin.
Ingestion	DO NOT induce vomiting. Rinse your mouth. Never give anything by mouth to a person. unconscious. Call a doctor.
Protective equipment for the first aid personnel	Avoid contact with skin, eyes or clothing. Use personal protective clothing (see section 8).

4.2. Main symptoms and effects, both acute and delayed

Symptoms	May cause redness and tearing of the eyes. Burning sensation.
-----------------	---

4.3. Indication of any medical attention and special treatment that should be provided immediately

Note to medical personnel	No information available.
----------------------------------	---------------------------

SAFETY DATA SHEET

Cyanboard High Viscosity Cyanoacrylate
Replaces: 20-Feb-2022

Revision date 05-Dec-2022 Revision
number 3

SECTION 5: Firefighting measures

5.1. Extinguishing media

Appropriate extinguishing media Use extinguishing measures appropriate to local circumstances and the environment.

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards posed by the chemical It adheres to the skin and eyes in just a few seconds.

Hazardous combustion products Nitrogen oxides (NOx).

5.3. Recommendations for firefighting personnel

Special protective equipment and precautions for firefighting personnel

Firefighters must use self-contained breathing apparatus and full protective approach suit when fighting fires. Use personal protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Individual precautions Ensure adequate ventilation. Use mandatory personal protective equipment. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing. For further information, see section 8.

Other data Please refer to the protective measures listed in sections 7 and 8.

For emergency personnel Use personal protective measures recommended in section 8.

6.2. Environmental precautions

Environmental precautions Prevent further leaks or spills if it can be done safely.

6.3. Methods and materials for containment and cleaning up

Containment methods Do not use cloths to remove it. Flood it with water until it has completely polymerized and scrape it off the floor.

Cleaning methods Collect by mechanical means and place in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and places thoroughly, observing environmental regulations.

6.4. Reference to other sections

Reference to other sections For more information, see section 8. For more information, see section 13.

SAFETY DATA SHEET

Cyanboard High Viscosity Cyanoacrylate
Replaces: 20-Feb-2022

Revision date 05-Dec-2022
Revision number 3

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Recommendations for safe handling Handle in accordance with good industrial hygiene and safety practices. Avoid contact with skin, eyes and clothing. Use personal protective equipment. Do not eat, drink or smoke when using this product. For further information, see section 8.
Remove contaminated clothing and wash before reuse. Ensure adequate ventilation. Avoid breathing vapours or mists. In case of insufficient ventilation, use suitable respiratory equipment.

General considerations on hygiene Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing.

7.1. Conditions for safe storage, including any incompatibilities

Storage conditions Keep containers tightly closed in a cool, dry and well-ventilated place.

Recommended storage temperature For optimal shelf life, store in original packaging under refrigerated conditions between +2 and +8°C.

7.2. Specific end uses

Specific uses This product is a cyanoacrylate-based adhesive.

Risk management measures (MGR) The required information is contained in this safety data sheet.

Other data Please refer to the technical data sheet.

SAFETY DATA SHEET

Cyanboard High Viscosity Cyanoacrylate
Replaces the one from: 20-Feb-2022

Review date 05-Dec-2022
Revision Number 3

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Exposure limits

Chemical name	European Union	Portugal	Spain
2-Ethyl cyanoacrylate 7085-85-0	-	TWA: 0.2 ppm	TWA: 0.2 ppm
Hydroquinone 123-31-9	-	TWA: 1 mg/m ³ Sensitizer	TWA: 2 mg/m ³ Sen+

Derived no-effect level (DNEL) No information available

Derived no-effect level (DNEL)			
Hydroquinone (123-31-9)			
Guy	Route of exposure	Derived no-effect level (DNEL)	Safety factor
worker Long term Systemic health effects	Cutaneous	3.33 mg/kg bw/day	
worker Long term Systemic health effects	Inhalation	2.1 mg/m ³	

Derived no-effect level (DNEL)			
Hydroquinone (123-31-9)			
Guy	Route of exposure	Derived no-effect level (DNEL)	Safety factor
Consumption Long term Systemic health effects	Cutaneous	1.66 mg/kg bw/day	
Consumption Long term Systemic health effects	Inhalation	1.05 mg/m ³	
Consumption Long term Systemic health effects	Oral	0.6 mg/kg bw/day	

SAFETY DATA SHEET

Cyanboard High Viscosity Cyanoacrylate
Replaces the one from: 20-Feb-2022

Review date 05-Dec-2022
Revision Number 3

Predicted No Effect Concentration (PNEC)

Predicted no-effect concentration (PNEC)	
Hydroquinone (123-31-9)	
Environmental compartment	Predicted no-effect concentration (PNEC)
Fresh water	0.57 µg/l
Fresh water - intermittent	1.34 µg/l
Sea water	0.057 µg/l
Freshwater sediments	0.0049 mg/kg dry weight
Marine sediment	0.00049 mg/kg dry weight
Land	0.00064 mg/kg dry weight
Wastewater treatment plant	0.71 mg/l

8.2 Exposure controls

Technical controls

Ensure adequate ventilation, especially in confined areas.
Vapours/aerosols must be extracted directly at the point where they originate.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Recommended use: Nitrile rubber. Glove thickness > 0.4 mm. Gloves made of latex. Polyethylene. Polypropylene. Glove thickness >= 0.15 mm. Make sure that that the passage time of the glove material is not exceeded. Check the passage time of each type of glove to the distributor. The gloves must comply with EN 374

Skin and body protection Wear appropriate protective clothing.

Respiratory protection None under normal conditions of use.

Exposure controls environmental

Do not allow uncontrolled discharge of product into the environment.

SAFETY DATA SHEET

Cyanboard High Viscosity Cyanoacrylate
Replaces the one from: 20-Feb-2022

Review date 05-Dec-2022
Revision Number 3

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Liquid
Color	Colorless
Odor	Annoying.

Olfactory threshold No information available

Property	Values	Comments • Method
Melting point / boiling point freezing	No data available	None known
Initial boiling point and boiling range	No data available	None known
Flammability Not applicable to liquids.		None known
Flammability limit with air		None known
Upper flammability limit or explosiveness	No data available	
Lower flammability limit or explosiveness	No data available	
Flashpoint	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature pH	No data available	None known
pH (as aqueous solution)	No data available	Insoluble in water.
Kinematic viscosity	No data available	None known
Dynamic viscosity		None known
Solubility in water	Insoluble in water.	Polymerization may occur
Solubility(ies)	No data available	None known

SAFETY DATA SHEET

Cyanboard High Viscosity Cyanoacrylate

Replaces the one from: 20-Feb-2022

Review date 05-Dec-2022

Revision Number 3

Partition coefficient	No data available	None known
Vapor pressure	No data available	None known
Relative density	No data available	None known
Apparent density	No data available	
Density	No data available	
Relative vapor density	No data available	None known
Particle characteristics		
Particle size	No information available	
Size distribution of particle	No information available	

9.2. Other data

Solid content (%)	No information available
VOC content	No data available

9.2.1. Information regarding physical hazard classes

Not applicable

9.2.2. Other security features

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	No information available.
-------------------	---------------------------

10.2. Chemical stability

Stability	Stable under normal conditions.
------------------	---------------------------------

Explosion data

Sensitivity to impacts mechanics

Sensitivity to shocks static

None.

None.

10.3. Possibility of dangerous reactions

Possibility of reactions dangerous	None during a normal process.
---	-------------------------------

10.4. Conditions to avoid

Conditions to avoid Protect from moisture.

10.5. Incompatible materials

Incompatible materials	Alcohols. Alkali. Amines. Water.
-------------------------------	----------------------------------

10.6. Hazardous decomposition products

Decomposition products dangerous	None under normal use conditions. Stable under normal use conditions. recommended storage.
---	--

SAFETY DATA SHEET

Cyanboard High Viscosity Cyanoacrylate
Replaces: 20-Feb-2022

Revision date 05-Dec-2022
Revision number 3

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on possible routes of exposure

Product information

Inhalation	No specific test data available for the substance or mixture. May cause respiratory tract irritation.
Eye contact	No specific test data available for the substance or mixture. Adheres to skin and eyes within seconds. Causes serious eye irritation. (based on components). May cause redness, itching and pain.
Skin contact	No specific test data available for the substance or mixture. Adheres to skin and eyes within seconds. Causes skin irritation. (based on components).
Ingestion	No specific test data are available for the substance or mixture. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to physical, chemical and toxicological characteristics

Symptoms	Redness. May cause redness and tearing of the eyes.
-----------------	---

Acute toxicity

Numerical measures of toxicity

SAFETY DATA SHEET

Cyanboard High Viscosity Cyanoacrylate
Replaces the one from: 20-Feb-2022

Review date 05-Dec-2022
Revision Number 3

Information about the components

Chemical name	Oral LD50	LD50 cutaneous	LC50 by inhalation
2-Ethyl cyanoacrylate	>5000 mg/kg (Rattus) OECD 401	>2000 mg/kg (Oryctolagus cuniculus) OECD 402	<21.1 mg/L (Rattus) 1 h
Hydroquinone	390 mg/kg (Rattus)	= 74800 mg/kg (Oryctolagus cuniculus)	-

Delayed and immediate effects, as well as chronic effects produced by short- and long-term exposure

Skin corrosion or irritation Classification based on available data for the components. Irritating to skin.

Serious eye injuries or eye irritation Classification based on available data for the components. Causes irritation severe ocular.

Respiratory sensitization or cutaneous Based on the available data, the classification criteria are not met.

Mutagenicity in cells germinal Based on the available data, the classification criteria are not met.

Information on the components

Hydroquinone (123-31-9)

OECD	Species	Results
Test Method No. 476: In vitro test of gene mutation in mammalian cells	Mouse	Mutagenic

The following table indicates components present above the cut-off threshold considered relevant that appear on the lists of mutagens.

Chemical name	European Union

SAFETY DATA SHEET

Magmont I1100
Replaces the one from: 20-Feb-2022

Review date 05-Dec-2022
Revision Number 3

Hydroquinone	Muta. 2
--------------	---------

Carcinogenicity Based on the available data, the classification criteria are not met.

The table below indicates whether each agency has included any of the components on its list of carcinogens.

Information on the components

Hydroquinone (123-31-9)

Method Species	OECD Test No.	Results
Combined studies of chronic toxicity and carcinogenicity	Rat	Possible carcinogenic effects

Chemical name	European Union
Hydroquinone	Carc. 2

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - unique exhibition May irritate respiratory tract.

STOT - repeated exposure Based on the available data, the classification criteria are not met.

Aspiration hazard Based on the available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Disruptive properties endocrine No information available.

11.2.2. Other data

Other adverse effects No information available.

SAFETY DATA SHEET

Cyanboard High Viscosity Cyanoacrylate

Replaces: 20-Feb-2022

Revision date 05-Dec-2022 Revision
number 3

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Harmful to aquatic organisms.

Chemical name	Algae/aquatic plants	Fish	Toxicity in microorganisms	Crustaceans	Factor M Factor	M (long term)
2-Ethyl cyanoacrylate 7085-85-0	polymerizes	polymerizes	-	-		
Hydroquinone 123-31-9	EC50: =0.335mg/L (72h, Pseudokirchneriella subcapitata)	LC50 96 h = 0.044 mg/L (Oncorhynchus mykiss flow-through)	EC50 = 0.038 mg/ L 15 min EC50 = 0.0382 mg/L 30 min EC50 = 0.042 mg/L 5 min EC50 = 23.75 mg/ L 60 min	EC50: =0.29mg/L (48h, Daphnia magna)	10	1

12.2. Persistence and degradability

SAFETY DATA SHEET

Cyanboard High Viscosity Cyanoacrylate
Replaces the one from: 20-Feb-2022

Review date 05-Dec-2022
Revision Number 3

Persistence and degradability No information available.

12.3. Bioaccumulation potential

Bioaccumulation

Information about the components

Chemical name	Partition coefficient
Hydroquinone	0.59

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment
2-Ethyl cyanoacrylate	The substance is not PBT / vPvB The substance is not applicable. PBT assessment
Hydroquinone	The substance is not PBT / vPvB The substance is not applicable. PBT assessment

12.6. Endocrine disrupting properties

Disruptive properties endocrine No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Remaining waste/unprocessed product Dispose of waste in accordance with current environmental legislation.
wear Dispose of in accordance with local regulations.

Contaminated packaging Do not reuse empty containers.

European Waste Catalogue 08 04 09* Waste adhesives and sealants containing organic solvents or other hazardous substances

Other data The user must assign waste codes based on the application for which they are used.
used the product.

SAFETY DATA SHEET

Cyanboard High Viscosity Cyanoacrylate
Replaces: 20-Feb-2022

Revision date 05-Dec-2022 Revision
number 3

SECTION 14: Transport information

Land transportation (ADR/RID)

14.1 UN number or identification number	Not regulated
14.2 Proper shipping name	Not regulated

14.3 Hazard class(es) for the Not regulated

Transport

14.4 Packing group 14.5	Not regulated
Environmental hazards	Not applicable

14.6 Specific provisions None

IMDG

14.1 UN number or identification number	Not regulated
14.2 Proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated

14.4 Packing group 14.5 Marine pollutant Not regulated
NP

14.6 Special provisions None 14.7 Bulk maritime transport
Not applicable according to IMO instruments

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or identification number	UN3334
14.2 Proper shipping name	Aviation regulated liquid, nes (2-ethyl cyanoacrylate)
14.3 Transport hazard class(es)	9

14.4 Packing group Description III
14.5 UN3334, Aviation regulated liquid, nos (2-Ethyl cyanoacrylate), 9, III Not applicable
Environmental hazards

14.6 Special provisions A27 Limited quantity (LQ)

30 kg G ERG code 9A

SAFETY DATA SHEET

Cyanboard High Viscosity Cyanoacrylate
Replaces: 20-Feb-2022

Revision date 05-Dec-2022
Revision number 3

Section 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations and legislation specific to the substance or mixture

European Union

Regulation on the registration, evaluation, authorization and restriction of chemical substances and preparations (REACH) (EC 1907/2006)

SEP: Substances of very high concern for authorisation: This product does not contain any candidate substances of very high concern at a concentration greater than 0.1% (Regulation (EC) No 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII Restrictions on use

This product does not contain substances subject to restriction (Regulation (EC) No 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation according to Annex XIV of REACH

This product does not contain substances subject to authorisation (Regulation (EC) No 1907/2006 (REACH), Annex XIV)

SAFETY DATA SHEET

Cyanboard High Viscosity Cyanoacrylate
Replaces the one from: 20-Feb-2022

Review date 05-Dec-2022
Revision Number 3

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (ODS)
Not applicable

Persistent organic pollutants
Not applicable

National regulations

15.2. Chemical safety assessment

The Chemical Safety Assessment has carried out the Reach registration of Substances for substances registered at > 10 tpa,
No Chemical Safety Assessment has been carried out on the mixture

SECTION 16: Other information

Key or legend of abbreviations and acronyms used in the safety data sheet

Full text of hazard statements mentioned in Section 3:

H302 - Harmful if swallowed
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H319 - Causes serious eye irritation
H335 - May cause respiratory irritation
H341 - Suspected of causing genetic defects
H351 - Suspected of causing cancer
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects

SEP: Substances of very high concern for authorisation:

PBT: Persistent, bioaccumulative and toxic chemicals (PBT)

vPvB: Very persistent and very bioaccumulative chemicals (vPvB)

STOT RE: Specific target organ toxicity - repeated exposure

STOT SE: Specific target organ toxicity - Single exposure

EWC: European Waste Catalog

LOW: List of Wastes (see <http://ec.europa.eu/environment/waste/framework/list.htm>)

ADR: European Agreement concerning the international transport of dangerous goods by road

IATA: International Air Transport Association

ICAO: ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG: International Maritime Dangerous Goods

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

Legend SECTION 8: Exposure controls/personal protection

TWA	TWA (time weighted average)	STEL	STEL (Short Term Exposure Limit, Short Term Exposure Limit)
AGW	Occupational exposure limit value	BGW	Biological limit value
Ceiling	Maximum limit value		Skin designation

Classification procedure

Classification according to Regulation (EC) No 1272/2008 [CLP]	Method used
Acute oral toxicity	Calculation method
Acute cutaneous toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion or irritation	Calculation method
Serious eye damage or eye irritation	Calculation method

SAFETY DATA SHEET

Cyanboard High Viscosity Cyanoacrylate
Replaces the one from: 20-Feb-2022

Review date 05-Dec-2022
Revision Number 3

Respiratory sensitization	Calculation method
Skin sensitization mutagenicity	Calculation method
	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - unique exhibition	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Main bibliographical references and data sources used to compile the SDS

European Food Safety Authority (EFSA)
European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
European Chemicals Agency (ECHA) (ECHA_API)
EPA (Environmental Protection Agency)
Acute Exposure Guideline Level(s) (AEGL)
International Uniform Chemical Information Database (IUCLID)
National Institute of Technology and Evaluation (NITE)
NIOSH (National Institute for Occupational Safety and Health)
Organisation for Economic Co-operation and Development, publications on health, safety and environment
Organization for Economic Cooperation and Development, High Volume Chemicals Programme
production
Organization for Economic Cooperation and Development, detection data sheet

Prepared by Product Safety and Regulatory Affairs

Review date 05-Dec-2022

Training Council No information available

Additional information No information available

Safety data sheet according to Regulation (EC) No 1907/2006 (REACH)

Disclaimer

The information provided in this Safety Data Sheet is correct, to the best of our knowledge, as of the date of its publication. This information is intended solely as a guide for safe handling, use, processing, storage, transportation, disposal and release, and should not be taken as guarantee or specification of qualities. The information refers only to the specific material mentioned and may not be valid for such material used in combination with any other materials or in any process unless expressly specified in the text.

End of safety data sheet